Also no hand shook with high magnification binoculars.

Recommendation tripods

It's possible to use all tripods with which Heads of the Quick release adapter (00×00 mm) specification

BINOCULAR HOLDER

The binoculars which are being used, in a pan head of a tripod or monopod. A holder with a base fixed easily by a magic belt.

BINOCULAR HOLDER

H: 000(0.00)mm(inch) Weight: 000g/0.00lbs

L: 000(0.00)×W: 000(0.000)×

PERIOD LIMITATION SPECIAL PLAN!



New SHERPA Series Tripod/Monopod Specifications

THE TRIPOD INNOVATOR
VELBON WAS ESTABLISHED IN KOBE, JAPAN BACK IN 1955.

ITEM NAME	MAX cm/inch	★ cm/inch	cm/inch	cm/inch	₩ kg/lbs	Maximum Loading Weight kg/lbs	Suggested Loading Weight Kg/lbs	DIAMETER & SECTION mm/inch	HEAD	SPARE QUICK RELEASE or Head screw
SHERPA 50	163.00 / 64.17	134.00 / 52.76	19.30 / 7.60	51.00 / 20.08	1.00 / 2.20	2.50 / 5.51	1.50 / 3.31	20 / 0.79 4	QHD-33M	QB-42
SHERPA 100	161.50 / 63.58	130.00 / 51.18	24.80 / 9.76	60.50 / 23.82	1.40/3.09	3.50 / 7.72	2.50 / 5.51	23 / 0.91 3	QHD-43D	QB-62 DIN
SHERPA 200	167.50 / 65.94	137.50 / 54.13	60.00 / 23.62	62.00 / 24.41	1.95 / 4.30	4.00 / 8.82	3.00 / 6.61	26 / 1.02 3	PH-157QK	QB-157 DIN
SHERPA 300	170.00 / 66.93	135.30 / 53.27	28.20 / 11.10	63.00 / 24.80	1.961 / 4.32	4.00 / 8.82	3.00 / 6.61	26 / 1.02 3	PH-157QK	QB-157 DIN
SHERPA 400	161.50 / 63.58	139.50 / 54.92	29.70 / 11.69	67.00 / 26.38	2.27 / 5.01	6.00 / 13.23	3.50 / 7.72	29 / 1.14 3	PHD-65D	QB-62 DIN
	MAX cm/inch			cm/inch	₩ kg/ l bs	Maximum Loading Weight kg/lbs		DIAMETER & SECTION ← → mm/inch	HEAD	SPARE QUICK RELEASE or Head screw
SHERPA MONO	166.50 / 65.55			52.50 / 20.67	0.468 / 1.03	2.00 / 4.41		26 / 1.02 4	QHD-33	UNC 1/4 screw only

*Specifications and designs are subject to change without prior notice.

www.velbon.biz





Veller What's New information leaflet SHERPA SERIES

Proven design, high quality standards for your everyday tripod use. It becomes newer and newly arrives!









Photographer: Jo Weishu





POLE POD EX

